


COMPANY PROFILE



1

INTRODUCTION

Mission – Vision -Value
Message from the CEO
About Hoa Phat Group
History
Certificate
Factory detail

2

FEATURE PRODUCTS

Water purifier
Water Dispenser
Air Cooler
Range Hood
Induction Cooker

3

FACILITY & TECHNOLOGY

Production Area
Warehouse Area
New Building



MISSION

To be the trusted manufacturing partner for global brands, providing high-quality, tailor-made solutions through seamless collaboration and world-class operational excellence



VISION

To become the largest local electrical home appliance manufacturer in Vietnam and a well-recognized international brand.



VALUES

Building long-term client partnerships through trust and open communication.

MESSAGE FROM THE CEO

Mr. TRAN DINH LONG

Chairman of the Board of Directors

***“Committing itself to lead in quality, HOA
PHAT react to a new status”***



HOA PHAT GROUP INTRODUCTION



IRON AND STEEL

- Hoa Phat Hung Yen Steel Co., Ltd
- Hoa Phat Hai Duong Steel JSC
- Hoa Phat Dung Quat Steel JSC
- An Thong Mineral Investment JSC
- Hoa Phat Shipping JSC
- Northern Australia Mineral JSC

AGRICULTURE

- Hoa Phat Hung Yen Animal Feeds Co., Ltd,
- Hoa Phat Development of Livestock JSC
- Hoa Phat Trading Co., Ltd
- Hoa Phat Poultry Co., Ltd



Established in 1992



30.000 Employees

STEEL PRODUCTS

- Hoa Phat Steel Pipe Co., Ltd
- Hoa Phat Steel Sheet Co., Ltd
- Hoa Phat Metal Producing Co., Ltd
- Hoa Phat Container Producing JSC

REAL ESTATE

- Hoa Phat Urban Development and Construction JSC,
- Hoa Phat Sai Gon Real Estate Development JSC
- Hoa Phat Ha Noi Real Estate Development JSC



Revenue USD 7.1B

HOME APPLIANCES

- Hoa Phat Refrigeration Engineering Co., Ltd
- Hoa Phat Ha Nam Home Appliances JSC
- Hoa Phat Phu My Refrigeration Engineering JSC



Total Assets USD 11.2B



About Us

Hoa Phat Home Appliances is a leading provider of high - quality home appliances in Viet Nam since 2001, specializing in the production and international distribution of advanced RO Water purifier, Water Dispensers, Air Coolers, and a wide range of Kitchen Appliances.

With over three years of experience in export operations and project coordination, Hoa Phat has successfully expanded its presence across Southeast Asia and other key international markets.

COMPANY HISTORY




2001

The first factory was built in Hung Yen, Hanoi.




2021

investing significantly in the with 3 manufacturing centers



2021

Established a 10-hectare Phu My factory for refrigeration and home



2022

Launched a 15-hectare Ha Nam factory with 1.5 million units annual capacity.



2025

Started exporting products abroad

CERTIFICATE



FACTORY DETAILS



Present at
**63 PROVINCES
AND CITIES**




3000+
Agent/Distributor
nationwide



2000+
The largest electronics supermarket
nationwide



1000+
excellent employees
nationwide



PRODUCTS

Ro Water Purifier, Air Cooler, Water
Dispenser, Range Hood, Induction
Cooker



CAPACITY

Phase 2: 1,500,000 products/year



AREA
15ha



ADDRESS

Hoa Mac Industrial Park,
Hoa Mac Ward, Duy Tien district, Ha Nam
province, Vietnam

HOA PHAT RO WATER PURIFIER



FEATURE MODEL

HYDRO-ION ALKALINE RO WATER PURIFIER



HYPERS HPA885



HYPERS HPA886



HYPERS HPA855



HYPERS HPA856



HYDRO-ION ALKALINE RO WATER PURIFIER

12 stages

75GPD USA RO membrane

3 Advance Pre-filter

8 Newest type Pos-filter

4 Water Mode (hot/cold/cool/Hydrogen)

pH: 6.5 – 9.5

ORP: 350 – 550 mV

x2 Hydrogen

FEATURE PRODUCTS

HOT & COLD RO WATER PURIFIER



HWBS1B1021T



HPN669



HPN628



HPN683

FEATURE PRODUCTS

HOT & COLD RO WATER PURIFIER



HPN635



HPN692



HPN666



HPN639

TECHNICAL SPECIFICATION

Design

7 type



S1



S2



S3



S4



HP05



R3



R4

Capacity	50 GPD / 75 GPD / 100 GPD
RO membrane origin	United States / Korea / Thailand
Number of filter stages	7 / 8 / 9 / 10 / 11 / 12
Type of coarse filter	Removable / Molded / Integrated filter 3 in 1
Type of functional filter	General / Integrated 8 in 1
Type of control	Touch / Manual
Cooling technology	Compressor / Electronic
Booster pump	Headon Taiwan 200GPD / Lan Shan HP-ZX-50E
Number of faucets	1 / 2 / 3
Storage tank	3.2 G / 4.0 G
Heating capacity	450W / 580W
Cooling capacity	55W / 65W / 80W
Hot storage capacity	1L / 1.5L / 2L
Cold storage capacity	1L / 1.5L / 2L
Color of cabinet	Base on demand (MOQ ~2000 unit if any order new color)



FEATURE PRODUCTS

FLOOR STANDING RO WATER PURIFIER



HPR515



HPA856



HWNS1A1022



HPN629

FEATURE PRODUCTS

FLOOR STANDING RO WATER PURIFIER



HPR528



HWRIA1022



HPR556



HWSIB1022

TECHNICAL SPECIFICATION

Design 5 type



S1



S3



HP05



R3



R4

Capacity	50 GPD / 75 GPD / 100 GPD
RO membrane origin	Korea / Thailand
Number of filter stages	7 / 8 / 9 / 10 / 11 / 12
Type of coarse filter	Removable / Molded / Integrated 3 in 1
Type of functional filter	General / Integrated 8 in 1
Booster pump	Headon Taiwan / HP-ZX-50E Viet Nam
Storage tank	3.2 G / 4.0 G
Color of cabinet	Base on demand (MOQ ~2000 unit if any order new color)



FEATURE PRODUCTS

UNDER-SINK RO WATER PURIFIER



HPU488

HPU488

HPU456

HPU416

FEATURE PRODUCTS

UNDER-SINK RO WATER PURIFIER



TECHNICAL SPECIFICATION

Design

5 type



HPU488



HPU466



HPU456

Capacity 50 GPD / 75 GPD / 100 GPD

RO membrane origin Korea / Thailand

Number of filter stages 7 / 8 / 9 / 10 / 11 / 12


Type of coarse filter Removable filter/ Molded filter/ Integrated filter 3 in1

Type of functional filter General filter / Integrated filter 8 in 1

Booster pump Diaphragm pump Headoñ Self-suction pump HP-ZX-50E

Storage tank 3.2 G / 4.0G

Color of cabinet Base on demand (MOQ ~2000 unit if any order new color)



HARD WATER RO WATER PURIFIER

10 stages

100 GPD Thailand Ro Membrane

Pre-filter: PP5, OCB, Cation, CTO

5 Pos-filter

TDS =< 1500 ppm

CaCO₃ =< 500 mg/L

Held back Mg²⁺ , Ca²⁺,....



FEATURE PRODUCTS

HARD WATER RO WATER PURIFIER



HPA823



SEMI-INDUSTRIAL RO WATER PURIFIER

80L/H (500GPD)

6 stages

5x 100GPD Thailand RO membrane

Advance Pre-filter (PP5, UDF, CTO)


2x 400GPD Headon Pump 9200

11G Pressure tank



FEATURE PRODUCTS

SEMI-INDUSTRIAL RO WATER PURIFIER



HPT725



HOA PHAT WATER DISPENSER

HOA PHAT
HOME APPLIANCES



FEATURE PRODUCTS

HOT & COLD

TOP LOADING WATER DISPENSER



HTL239



HTL266



HTL268



HTL235

FEATURE PRODUCTS

HOT & COLD

BOTTOM-LOADING WATER DISPENSER



HHC385



HHC383



HWPBS1A



HWPB1C1

TECHNICAL SPECIFICATION


Model	HTL239	HTL266	HTL268	HTL235	HHC385	HHC383	HWPBS1A
Picture							
Type	Top loading				Bottom-loading		
Product dimension – WxDxH (mm)	310 x 960 x 310	310 x 1040 x 348	310 x 1040 x 348	310x1000x300	310 x 1040 x 348	310 x 1040 x 348	320 x 1140 x 422
Net weight (kg)	7,7	13	13	15	13	13	24.5
Number of Faucets	2	3	3	3	3	3	3
Control	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical
Power Supply	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz
Heating Power (W)	580	580	580	580	580	580	580
Cooling Power (W)	60	90	90	60	90	90	55
Cooling Technology	Chip	Block	Block	Chip	Block	Block	Block
Hot Tank Volume (L)	0,9	0,9	0,9	0,8	0,9	0,9	1
Cold Tank Volume (L)	0,6	3,3	3,3	0,8	3,3	3,3	3,3
Hot water temp. (°C)	Up to 95	Up to 95	Up to 95	Up to 95	Up to 95	Up to 95	Up to 95
Cold water temp. (°C)	Down to 10	Down to 5	Down to 5	Down to 10	Down to 5	Down to 5	Down to 5

HOA PHAT AIR COOLER



COST-SAVING

- Reasonable price
- Up to 90% power savings



DURABILITY AND COOLING

- High wind flow
- Large water tank capacity
- Durable copper engine
- Made in Vietnam under strict testing standards
- Modern and high quality production

MAXIMUM CONVENIENCE

- Generation and addition of negative ions to purify the air
- 3 customized wind speeds: Low, Medium, High - meet all cooling needs in different spaces and weather conditions
- 3 customized wind modes: Normal, Natural, Sleep
- Timer off up to 12h
- Movement mechanism works quickly and easily with wheels
- Convenient remote control
- Suitable for open space

FEATURE PRODUCTS

HOME APPLIANCES AIR COOLER



HPCF1-045



HPCF035BL



HPCF1-0331



HPCF1-072

TECHNICAL SPECIFICATION



Color
●
HPCF1-045

HPCF1-045	
Power input	220V/50Hz
Dimensions	275 x 1050 x 403 (mm)
Carton box size	330 x 1090 x 435 (mm)
Net weight	11 kg
Gross weight	13 kg
Cooling area	15-20 m ²
Water tank capacity	25 L
Power consumption	112 W
Control	Electronic
Airflow	1115 m ³ /h
Timer off	up to 12 hours
Motor	AC



Color
●
HPCF1-0331
●
HPCF1-0341

HPCF1-0331, 0341	
Power input	220V/50Hz
Dimensions	492 x 1044 x 403 (mm)
Carton box size	545 x 1075 x 415 (mm)
Net weight	11.6 kg
Gross weight	14.2 kg
Cooling area	30-40 m ²
Water tank capacity	40 L
Power consumption	100 W
Control	Electronic
Airflow	2300 m ³ /h
Timer off	up to 12 hours
Motor	AC



Color
●
HPCF1-051
●
HPCF1-052

HPCF1-051, 052	
Power input	220V/50Hz
Dimensions	486 x 1022 x 395 (mm)
Carton box size	525 x 1060 x 450 (mm)
Net weight	12.8 kg
Gross weight	15.6 kg
Cooling area	30-40 m ²
Water tank capacity	35 L
Power consumption	100 W
Control	Electronic
Airflow	2300 m ³ /h
Timer off	up to 12 hours
Motor	AC



Color
●
HPCF1-011
●
HPCF1-012
●
HPCF1-013

HPCF1-010, 011, 012	
Power input	220V/50Hz
Dimensions	578 x 1134 x 390 (mm)
Carton box size	640 x 1160 x 440 (mm)
Net weight	15 kg
Gross weight	18.5 kg
Cooling area	40-50 m ²
Water tank capacity	55 L
Power consumption	165 W
Control	Manual
Airflow	3800 m ³ /h
Motor	AC



Color
●
HPCF1-021
●
HPCF1-022

HPCF1-021, 022	
Power input	220V/50Hz
Dimensions	486 x 978 x 313 (mm)
Carton box size	535 x 1005 x 370 (mm)
Net weight	9.2 kg
Gross weight	11,5 kg
Cooling area	25-30 m ²
Water tank capacity	35 L
Power consumption	86 W
Control	Manual
Airflow	1800 m ³ /h
Motor	AC



Color
●
HPCF1-061
●
HPCF1-062

HPCF1-061, 062	
Power input	220V/50Hz
Dimensions	578 x 1124 x 386 (mm)
Carton box size	640 x 1150 x 435 (mm)
Net weight	14.9 kg
Gross weight	18,4 kg
Cooling area	40-50 m ²
Water tank capacity	55 L
Power consumption	165 W
Control	Manual
Airflow	3800 m ³ /h
Timer off	up to 3 hours
Motor	AC



Color
●
HPCF1-072

HPCF1-072	
Power input	220V/50Hz
Dimensions	786 x 1340 x 526 (mm)
Carton box size	830 x 1045 x 575 (mm)
Net weight	28.7 kg
Gross weight	34,1 kg
Cooling area	50-60 m ²
Water tank capacity	70 L
Power consumption	270 W
Control	Manual
Airflow	7100 m ³ /h
Timer off	up to 3 hours
Motor	AC

HOA PHAT RANGE HOOD

HOA PHAT
HOME APPLIANCES



STAINLESS STEEL GREASE FILTER,
WITH INTEGRATED ACTIVATED
CARBON FILTER.



CONTACTLESS GESTURE
CONTROL



AUTOMATIC ENGINE
COMPARTMENT
CLEANING



T SHAPE OR C SHAPE



STAINLESS STEEL
CABINET, RESISTANT
TO CORROSION AT
HIGH TEMPERATURES.



POWERFUL MOTOR
WITH A SPEED OF
2000 RPM, OPERATES
SMOOTHLY.

FEATURE PRODUCTS

KITCHEN APPLIANCES CURVED GLASS RANGE HOOD



HKHC0470H



HKHC0170



HKHC0770H



HKH9688



HKHC0270



HKHC0570H



HKHC0370



HKH9654

FEATURE PRODUCTS

KITCHEN APPLIANCES T-SHAPED RANGE HOOD



HKHT0270



HKHT0570H



HKHT0370



HKHT0170



HKHT0770



HKHT0670H









HKHT0470H



HKHT0170

TECHNICAL SPECIFICATION

Model	HKH T0370	HKH T0270	HKH T0170	HKH C0370	HKH C0270	HKH C0170	HKH9654
Picture							
Product type	Wall Mount, T-Shape			Wall Mount, Curved glass			
AC Voltage	220V/ 50 Hz	220V/ 50 Hz	220V/ 50 Hz	220V/ 50 Hz	220V/ 50 Hz	220V/ 50 Hz	220V/ 50 Hz
Power (W)	140	230	230	190	230	230	130
Air Flow Capacity (m ³ /h)	750	750	750	750	750	750	750
Noise Level	63	63	63	63	63	63	63
Control type	Touch & Hand Wave Sensor	Manual	Manual	Manual	Manual	Manual	Touch & Hand Wave Sensor
Light Type	LED	LED	LED	LED	LED	LED	LED
Dimension WxHxL (mm)	695 x 468 x 450	695 x 500 x 346	696 x 500 x 346	700 x 490 x 525	695 x 470 x 336	695 x 470 x 336	695 x 426 x 479
Packing Dim. WxHxL (mm)	740 x 495 x 455	735 x 545 x 385	735 x 545 x 385	735 x 560 x 410	735 x 545 x 385	735 x 545 x 385	740 x 495 x 475
Weight (kg)	12.5	12.5	12.5	12	12.5	12.5	11.5
Material	Black powder coated steel Black tempered glass	Stainless steel	Black powder coated steel	Stainless steel Tempered glass	Stainless steel Tempered glass	Black powder coated steel Black tempered glass	Black powder coated steel Black tempered glass

HOA PHAT INDUCTION COOKER

HOA PHAT
HOME APPLIANCES



ABSOLUTE SAFETY



INVERTER
TECHNOLOGY




100% PURE COPPER
INDUCTION COIL




EM STANDARD

FEATURE PRODUCTS


KITCHEN APPLIANCES SINGLE INDUCTION COOKER



HPC1S15H




HPCD11A2




HPCD12A2



HPC3S12



HSD8134



HPC2S11



HPC5S11



HSD8135




HSD8282



HPCD13A2




HPC3S16H




HPC5S14H

FEATURE PRODUCTS


KITCHEN APPLIANCES DOUBLE INDUCTION COOKER




HDD8525




HDD8534




HPC3D14



HPC3D11










HDD8526



HPC2D13

TECHNICAL SPECIFICATION

Model	HPC 5S13H	HPC 3S14H	HPC 2S14H	HPC 2S15H	HPC 4D11H	HPC 3D15H	HPC 3D16H
Type	Single Induction Cooker				Double Induction Cooker		
Image							
Power (W)	2000	2100	2100	2200	Left: 2000 Right: 2000	Left: 2200/2400 Right: 2200/2400	Left: 2200/2400 Right: 2200/2400
Cooking Zone Size (cm)	Ø 18	Ø19	Ø19	Ø21	Left/Right: Ø 20	Left/Right: Ø 20	Left/Right: Ø 21
Control	Touch	Touch	Touch	Touch + Slide	Touch	Touch + Slide	Touch + Slide
Induction Plate	Aluminum	Aluminum - Double-layer	Aluminum - Double-layer	Copper - Double-layer	Aluminum	Copper	Copper
Cooker Size (mm)	370 x 290	370 x 290	380 x 290	380 x 290	730 x 430	730 x 430	730 x 430
Glass Surface	Ceramic or Crystal Glass	Ceramic or Crystal Glass	Ceramic or Crystal Glass	Ceramic or Crystal Glass	Ceramic or Crystal Glass	Crystal - Beveled Edge	Crystal - Aluminum Edge
Protection Technology	yes	yes	yes	yes	yes	yes	yes
No cookingware warning	yes	yes	yes	yes	yes	yes	yes
Child Lock	yes	yes	yes	yes	yes	yes	yes
Timer	yes	yes	yes	yes	Yes (240'max)	Yes (240'max)	Yes (240'max)
Inverter	yes	yes	yes	yes	yes	yes	yes
Power Stages	5	5	5	5	10	10	10

TECHNOLOGY & EQUIPMENT

Featuring advanced production lines, high automation, and Industry 4.0 technology

Advanced quality control system (QA/QC), ensuring products meet international standards.



PRODUCTION AREA

Assembly Workshop

- Including 5 assembly lines: Water Purifier, Air Cooler, Water Dispenser, Range Hood and Induction Cookers
- The entire lines are equipped with newest technology and high quality machines, ensuring the quality of finished products.



Plastic Workshop

- Capacity ups to 1200 tons, having the largest plastic injection machine in the North of Viet Nam, using energy-saving servo motors to meet the production of plastic components with different sizes for products
- The plastic weight used for production is up to 2000 tons/year



PRODUCTION AREA

Pressure Tank Workshop



Filter Workshop



Mechanical Workshop



WAREHOUSE AREA



NEW FACTORY BUILDING OVERVIEW


• **Location:** Ha Nam Factory

• **5 floors, each 7,000 m²**

• **Expected inauguration: 2026**

• **Floor allocation:**

- **Floor 1-2:** Warehouse
- **Floor 3:** Air Conditioner Production
- **Floor 4:** Range Hood, Induction Hob, Rice Cooker
- **Floor 5:** R&D Center & PCB Production



SUGGESTED MODES OF COOPERATION



ODM Collaboration



**OEM Manufacturing
Partnership**



**Business
Corporation**

A large, blue, three-dimensional sign of the HOA PHAT logo is mounted on the roof of a modern glass-fronted building. The sign is partially obscured by scaffolding. The background is a clear blue sky with some light clouds.

THANK YOU FOR YOUR TIME!

Hoa Mac Industrial Park, Hoa Mac Ward, Duy Tien district, Ha Nam province, Vietnam

Hanoi Office: 39 Nguyen Dinh Chieu, Le Dai Hanh Ward, Hai Ba Trung District, Hanoi

Phone: +84 907 091 985 | Email: ha@hoaphat.com.vn